

A close-up photograph of a stainless steel refrigerator door. The door has a brushed metal finish and a vertical crease down the center. The BAMBAS-frost logo is printed in blue on the upper right portion of the door. The background is a solid dark blue.

BAMBAS*-frost*—

2020

COMMERCIAL REFRIGERATORS
& STAINLESS STEEL PRODUCTS



BAMBAS *frost* —





THE CORPORATION

The **BAMBAS FROST** corporation's activities are expanding in the manufacturing of professional refrigerators and stainless steel equipment area since 1998, in the Kozani main facilities, in the Western Macedonian region.

The company has been founded by **Mr. Konstantinos Vamvas**, a businessman with a long-time experience in the professional equipment industry. The company's human resources are experienced and highly qualified, with a solid know-how in professional equipment manufacturing areas. The BAMBAS FROST corporation is capable of satisfying any requirement of its customers. With the contribution of its selected collaborators, BAMBAS FROST handles the equipment of professional facilities such as restaurants, hotels, food service spaces, cafeterias, bakeries etc. in Greece and abroad as well. Its high-quality products comply with the European standards and certification requirements. Due to the perfect quality of its products, its prompt service, the development of innovative products and its participation in core international exhibitions abroad, the BAMBAS FROST corporation has become widely famous in the professional equipment industry.

The human resources, the cutting-edge concepts, the ultra-modern CNC technology machinery along with the BAMBAS FROST know-how in the freezing area assure the complete structuring of professional spaces by means of reliable equipment. The high-quality equipment manufacturing, such as stainless steel professional refrigerators, food-service equipment such as glass baskets, working benches, ventilation pipes and various other similar items, has built up the company's high-level reputation in the domestic as well as the global market and has highlighted BAMBAS FROST as one of the best manufacturers of professional equipment in Greece.

BAMBAS FROST privately owned facilities include modern buildings of 11,000 square meters, located at the third kilometer of the Kozani-Thessaloniki national road, in the Kasla industrial area.

The company's large warehouse enables it to assure a prompt delivery of its products.

QUALITY



BAMBAS FROST core principle and commitment as well as the philosophy of every company's manager consists in providing products and services which respond entirely to its customer requirements and expectations within the scheduled delivery deadlines, in complying with the legal and regulatory requirements of the products and achieving its own quality aims.

To achieve the above mentioned goals, BAMBAS FROST:

- Uses AISI 18/10 304 type stainless steel in all the equipment and refrigerators of its product range thus providing high-quality and reliable products
 - All refrigerators and freezers have a tropical type operation mode (T) which can afford ambient temperatures of +43°C
 - All electronic systems, the refrigerator motors and product components are manufactured by well-established brands acknowledged for their quality
 - Its products are manufactured according to the CE complying statement
 - Is ISO 9001 certified and applies this quality management system
- Checks and improves continuously its product features wherever it's possible
 - Implements the incorporation of the most advanced technology whilst it strives to assure the efficiency of its production processes and consequently that of the entire quality management system, aiming to its continuous improvement
 - Always allocates the required resources to assure the appropriate and efficient operation of every corporate department in order to consolidate its leading market position through a continuously developing product range
 - Keeps its customers updated about the safe use and maintenance of its products and implements the required improvements on the basis of its customer feedback

By adopting the principle of continuous improvement, achieved through the collective contribution, involvement and updating, BAMBAS FROST uses its long-time experience and invests in its device quality, the respect of its customers and their entire satisfaction.







INDEX

	Page
CABINETS	7 - 31
COUNTER REFRIGERATORS	32 - 57
DISPLAY REFRIGERATORS / HEATED BAIN MARIE	58 - 77
LUX LINE	90 - 99
CORIAN FROST SERIES	78 - 89
FROST LINE	100 - 109
STAINLESS STEEL PRODUCTS	110 - 139
GASTRONORM CONTAINERS	142
BASINS	143
CONSUMABLES	144 - 145



ВАМБА



CABINETS

- REFRIGERATED / FREEZER8-19
- WITH GLASS DOOR..... 20-21
- UNDER MOUNTED UNIT GLASS DOOR 22-25
- WITH SLIDING GLASS DOORS 26-27
- UPRIGHT REFRIGERATED DISPLAY 28-29
- EXTRAS30

REFRIGERATED CABINET

WITH 1 DOOR

US 70



INOX 304



7 cm

Eco R290

LED



7cm insulation



Air flow system



Removable door gaskets

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Height adjustable inox feet
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon
- Air flow system for uniform distribution of cooling

EXTRAS
US 70
UK 70



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



DOOR LOCK



WHEELS

FREEZER CABINET

WITH 1 DOOR

UK 70

INOX
304



7
cm

ECO
R290



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Height adjustable inox feet
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon
- Air flow system for uniform distribution of cooling

MODEL	US 70	UK 70
External dimensions (WxDxH) cm.	70 x 82 x 207	70 x 82 x 207
Capacity (L)	620	620
Temperature Range (°C)	-1 to +10	0 to -20
Doors	1	1
Door Dimensions (WxD) cm.	69 x 167,5	69 x 167,5
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	3 / 55 x 63	3 / 55 x 63
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	450	650
Compressor (HP)	3/8	1/2
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	X
Net Weight (kg)	115	127
Volume (m ³)	1,18	1,18
PRICE	1.500 €	1.920 €

REFRIGERATED CABINET

FOR TRAYS 40x60 cm.

UST 70



INOX 304



7 cm

Eco R290

LED



7cm insulation



Door terminal switch



Removable door gaskets

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm
- H.A.C.C.P. rounded corners
- Stainless steel construction for trays 40x60cm
- Height adjustable inox feet
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon
- Air flow system for uniform distribution of cooling

EXTRAS
UST 70
UKT 70



SUPPORT PAIRS FOR TRAYS



WHEELS



DOOR LOCK

FREEZER CABINETS

FOR TRAYS 40x60 cm.

UKT 70

INOX
304



7
cm

ECO
R 290



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Height adjustable inox feet
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon
- Air flow system for uniform distribution of cooling

MODEL	UST 70	UKT 70
External dimensions (WxDxH) cm.	70 x 82 x 207	70 x 82 x 207
Capacity (L)	600	600
Temperature Range (°C)	-1 to +10	0 to -20
Doors	1	1
Door Dimensions (WxD) cm.	69 x 167,5	69 x 167,5
Tray dimensions (Pcs/Dimensions (WxD) cm.)	17 / 40 x 60	17 / 40 x 60
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	450	650
Compressor (HP)	3/8	1/2
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	-
Net Weight (kg)	115	127
Volume (m ³)	1,18	1,18
PRICE	1.660 €	2.080 €

Prices do not include support pairs and trays

REFRIGERATED AND FREEZER CABINET

USK 70



INOX
304



7
cm

ECO
R290

LED

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm
- H.A.C.C.P. rounded corners
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Height adjustable inox feet
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon
- Air flow system for uniform distribution of cooling

EXTRAS USK 70



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



DOOR LOCK



UKTS 70



HOST 2015
**SMART
 LABEL**

**AWARDED WITH
 SMART LABEL**

REFRIGERATED AND FREEZER CABINET

The new refrigerator- freezer cabinet USK70 awarded by italian POLIS DESIGN organization with the SMART LABEL award. Due to advanced technology and the low energy consumption, this product is an innovative and enviromentaly friendly proper for professional use.

MODEL	USK 70	USKS 70
External dimensions (WxDxH) cm.	70 x 82 x 207	70 x 82 x 207
Capacity (L)	320 / 280	320 / 280
Temperature Range (°C)	0 to +10 / -15 to -20	0 to +10 / -15 to -20
Doors / Drawers	2	1 / 2
Door Dimensions (WxD) cm.	69 x 90 / 69 x 81	69 x 90 / Drawers
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	4 / 55 x 63	2 / 55 x 63
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	650	650
Compressor (HP)	1/2	1/2
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	LED
Net Weight (kg)	137	153
Volume (m ³)	1,18	1,18
PRICE	2.353 €	3.125 €

ROLL-IN

ROLL 90



INOX
304



7
cm

ECO
R290

LED



7cm insulation



Door terminal switch



Removable door gaskets

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm
- Internal wall protection
- Bottom with ramp for tray trolley
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon
- Air flow system for uniform distribution of cooling

EXTRAS
ROLL 90



CONTAINER TRAY TROLLEY (Page 125)

ROLL 90



MODEL	ROLL 90
External dimensions (WxDxH) cm.	90 x 90 x 238
Internal dimensions (WxDxH) cm.	76 x 76 x 185
Capacity (L)	1068
Temperature Range (°C)	+3 to +10
Doors	1
Door Dimensions (WxD) cm.	89 x 209
Voltage / Frequency (V/Hz)	220 - 240 / 50
Input Power (W)	650
Compressor (HP)	1/2
Type of Cooling	Fan assisted
Type of Defrost	Automatic
Controller	Digital
Refrigerant	R 290
Internal Light	LED
Net Weight (kg)	165
Volume (m ³)	1,9
PRICE	4.000 €

Prices do not include container tray trolley

REFRIGERATED CABINET

WITH 2 DOORS



US 137



INOX 304



7 cm

ECO R290

LED



7cm insulation



Gastronorm containers and grills



Meat hooks



H.A.C.C.P. rounded corners

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Height adjustable inox feet
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon
- Base for double meat hooks
- Air flow system for uniform distribution of cooling

EXTRAS
US 137
UK 137



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



DOOR LOCK



WHEELS



FREEZER CABINET

WITH 2 DOORS

INOX
304



7
cm

ECO
R290



UK 137

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Height adjustable inox feet
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon
- Air flow system for uniform distribution of cooling

MODEL	US 137	UK 137
External dimensions (WxDxH) cm.	137 x 82 x 207	137 x 82 x 207
Capacity (L)	1232	1232
Temperature Range (°C)	-1 to +10	0 to -20
Doors	2	2
Door Dimensions (WxD) cm.	67 x 167,5	67 x 167,5
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	6 / 60,5 x 60,5	6 / 60,5 x 60,5
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	650	850
Compressor (HP)	1/2	3/4
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	-
Net Weight (kg)	185	200
Volume (m ³)	2,32	2,32
PRICE	2.160 €	2.580 €

REFRIGERATED CABINET

WITH 3 DOORS



US 205



7cm insulation



Door terminal switch



Removable door gaskets



Gastronorm containers and grills

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Height adjustable Inox feet
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological Freon
- Air flow system for uniform distribution of cooling

EXTRAS US 205



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



DOOR LOCK



WHEELS



FREEZER CABINET

WITH 3 DOORS

UK 205

INOX
304



7
cm

Eco
R290



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Height adjustable inox feet
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon
- Air flow system for uniform distribution of cooling

MODEL	US 205	UK 205
External dimensions (WxDxH) cm.	205 x 82 x 207	205 x 82 x 207
Capacity (L)	1900	1900
Temperature Range (°C)	-1 to +10	0 to -20
Doors	3	3
Door Dimensions (WxD) cm.	67 x 167,5	67 x 167,5
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	9 / 55 x 63	9 / 55 x 63
Inox Feet (Pcs/Dimensions (H) cm.)	6 / 10 -13	6 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	900	950
Compressor (HP)	3/4	3/4
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	-
Net Weight (kg)	220	247
Volume (m ³)	3,47	3,47
PRICE	3.300 €	4.550 €

REFRIGERATED / FREEZER CABINET

WITH GLASS DOOR

UB 70



INOX 304



7 cm

Eco R290

LED



7cm insulation



Wheels



Inox handle details

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Double glasses in the refrigerator and triple heated glasses in the freezer
- Plastic-coated grills
- Height adjustable Inox feet
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological Freon

EXTRAS
UB 70, UBF 70
UK 137, UBF 137



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



DOOR LOCK



WHEELS

REFRIGERATED / FREEZER CABINET

WITH GLASS DOOR

UB 137

INOX
304



7
cm

ECO
R290

LED



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Double glasses in the refrigerator and triple heated glasses in the freezer
- Plastic-coated grills
- Height adjustable inox feet
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon

MODEL	UB 70	UBF 70	UB 137	UBF 137
External dimensions (WxDxH) cm.	70 x 82 x 207	70 x 82 x 207	137 x 82 x 207	137 x 82 x 207
Capacity (L)	620	620	1232	1232
Temperature Range (°C)	0 to +10	0 to -18	0 to +10	0 to -18
Doors	1	1	2	2
Door Dimensions (WxD) cm.	69 x 167,5	69 x 167,5	67 x 167,5	67 x 167,5
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	4 / 55 x 63	4 / 55 x 63	8 / 60,5 x 60,5	8 / 60,5 x 60,5
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13	4 / 10 -13	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	450	650	650	850
Compressor (HP)	3/8	1/2	1/2	3/4
Type of Cooling	Fan assisted	Fan assisted	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital	Digital
Refrigerant	R 290	R 290	R 290	R 290
Internal Light	LED	LED	LED	LED
Net Weight (kg)	125	148	200	223
Volume (m ³)	1,18	1,18	2,32	2,32
PRICE	1.700 €	2.700 €	2.370 €	3.900 €

UNDER MOUNTED WHITE COLOR REFRIGERATED / FREEZER CABINET

WITH GLASS DOOR

UP 69



INOX 304



7 cm

ECO R290

LED



7cm insulation



Door terminal switch

- White color steel Exterior / Interior
- Stainless steel bottom
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Double glasses in the refrigerator and triple heated glasses in the freezer
- Plastic-coated grills
- Height adjustable inox feet & wheels
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon
- Air flow system for uniform distribution of cooling

EXTRAS
UP 69, UPF 69
UF 137, UPF 137



GRILLS



DOOR LOCK

UNDER MOUNTED WHITE COLOR REFRIGERATED / FREEZER CABINET

WITH GLASS DOOR

UP 137



- White color steel Exterior / Interior
- Stainless steel bottom
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Double glasses in the refrigerator and triple heated glasses in the freezer
- Plastic-coated grills
- Height adjustable inox feet & wheels
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon
- Air flow system for uniform distribution of cooling

MODEL	UP 69	UPF 69	UP 137	UPF 137
External dimensions (WxDxH) cm.	69 x 72 x 200	69 x 72 x 200	137 x 72 x 200	137 x 72 x 200
Capacity (L)	480	480	1080	1080
Temperature Range (°C)	0 to +10	0 to -18	0 to +10	0 to -18
Doors	1	1	2	2
Door Dimensions (WxD) cm.	66 x 147	66 x 147	66 x 147	66 x 147
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	4 / 53 x 50	4 / 53 x 50	8 / 60,5 x 51	8 / 60,5 x 51
Inox feet / Wheels (Pcs/ Pcs/ Dim. (H) cm.)	2 / 4 / 2,5	2 / 4 / 2,5	3 / 4 / 2,5	3 / 4 / 2,5
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	450	650	650	850
Compressor (HP)	3/8	1/2	1/2	3/4
Type of Cooling	Fan assisted	Fan assisted	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital	Digital
Refrigerant	R 290	R 290	R 290	R 290
Internal Light	LED	LED	LED	LED
Net Weight (kg)	122	145	195	205
Volume (m ³)	0,98	0,98	1,89	1,89
PRICE	1.520 €	2.520 €	2.160 €	3.160 €

UNDER MOUNTED WHITE COLOR REFRIGERATED CABINET

WITH 3 GLASS DOOR

UP 205



7cm insulation



Door terminal switch



Double glass door

- White color steel Exterior / Interior
- Stainless steel bottom
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Double glasses
- Plastic-coated grills
- Height adjustable inox feet & wheels
- Self-closing doors, terminal switch which blocks the ventilator when the door opens
- Ecological freon
- Air flow system for uniform distribution of cooling

EXTRAS
UP 205



GRILLS



DOOR LOCK

UNDER MOUNTED WHITE COLOR REFRIGERATED CABINET WITH 3 GLASS DOOR



Optional: Stainles steel shelves for grocery baskets

MODEL	UP 205
External dimensions (WxDxH) cm.	205 x 72 x 200
Capacity (L)	1671
Temperature Range (°C)	0 to +10
Doors	3
Door Dimensions (WxD) cm.	67,5 x 144
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	12 / 53 x 50
Inox feet / Wheels (Pcs/ Pcs/ Dim. (H) cm.)	6 / 3 - 3,5
Voltage / Frequency (V/Hz)	220 - 240 / 50
Input Power (W)	900
Compressor (HP)	3/4
Type of Cooling	Fan assisted
Type of Defrost	Automatic
Controller	Digital
Refrigerant	R 290
Internal Light	LED
Net Weight (kg)	240
Volume (m ³)	2,99
PRICE	3.800 €

UNDER MOUNTED REFRIGERATED CABINET

WITH SLIDING GLASS DOORS

UBS 137



INOX
304



7
cm

Eco
R290

LED



Sliding glass door

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Double glasses
- Plastic-coated grills
- Height adjustable inox feet & wheels
- Self-closing sliding doors
- Ecological freon

EXTRAS
UBS 137
UBP 137



GRILLS

UNDER MOUNTED WHITE REFRIGERATED CABINET WITH SLIDING GLASS DOORS

UBP 137



- White color steel Exterior / Interior
- Stainless steel bottom
- Insulation with ecological polyurethane 7cm to the body and 8cm on the bottom
- H.A.C.C.P. rounded corners
- Double glasses
- Plastic-coated grills
- Height adjustable inox feet & wheels
- Self-closing sliding doors
- Ecological freon

MODEL	UBS 137	UBP 137
External dimensions (WxDxH) cm.	137 x 73 x 200	137 x 73 x 200
Capacity (L)	958	958
Temperature Range (°C)	0 to +10	0 to +10
Doors	2	2
Door Dimensions (WxD) cm.	60 x 127	60 x 127
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	8 / 60,5 x 51	8 / 60,5 x 51
Inox feet / Wheels (Pcs/ Pcs/ Dim. (H) cm.)	2 / 4 / 2,5220 -	2 / 4 / 2,5220 -
Voltage / Frequency (V/Hz)	240 / 50	240 / 50
Input Power (W)	650	650
Compressor (HP)	1/2	1/2
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	LED
Net Weight (kg)	195	190
Volume (m ³)	2,00	2,00
PRICE	2.180 €	2.000 €

UPRIGHT REFRIGERATED DISPLAY

WITH 1 DOOR

UBK 90



INOX 304



7 cm

ECO R 404 a

LED



Meat hooks

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm
- H.A.C.C.P. rounded corners
- Double glasses
- Height adjustable inox feet
- Double meat hook
- Ecological freon

EXTRAS
UBK 90
UBK 160



DOOR LOCK



WHEELS

UPRIGHT REFRIGERATED DISPLAY

WITH 2 DOORS

UBK 160

INOX
304



7
cm

ECO
R 404 a

LED



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 7cm
- H.A.C.C.P. rounded corners
- Double glasses
- Height adjustable inox feet
- Double meat hook
- Ecological freon

MODEL	UBK 90	UBK 160
External dimensions (WxDxH) cm.	90 x 80 x 220	160 x 80 x 220
Capacity (L)	924	1732
Temperature Range (°C)	2 to +10	2 to +10
Doors	1	2
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 - 13	4 / 10 - 13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	700	750
Compressor (HP)	1/2	3/4
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 404a	R 404a
Internal Light	LED	LED
Net Weight (kg)	196	225
Volume (m ³)	1,58	2,81
PRICE	3.060 €	4.200 €

EXTRAS



WHEELS

MODEL	RO	RO F
Description	Wheel	Wheel with brake
PRICE	10 €	13 €



DOOR LOCK

MODEL	K1
PRICE	40 €



GRILLS

MODEL	SI 1	SI 2	SI 3	SL 1	SL 2	SL 3
Dimensions (WxD) cm.	55 x 63	60,5 x 51	60,5 x 60,5	55 x 63	60,5 x 51	60,5 x 60,5
Color	Inox	Inox	Inox	White	White	White
PRICE	42 €	44 €	44 €	14 €	14 €	15 €



STAINLESS STEEL PAIR SHEET FOR GN CONTAINERS

MODEL	GN
PRICE	20 €



STAINLESS STEEL GASTRONORM CONTAINERS

More information on page 142







REFRIGERATED & FREEZER COUNTERS

- COMPACT34-35
- REFRIGERATED COUNTER WITH GN DOORS ..36-37
- UNDER MOUNTED COUNTER 38-39
- REFRIGERATED COUNTER WITH BIG DOORS... 40-41
- WITHOUT COOLING INSTALLATION42-43
- REFRIGERATED BASE44-45
- WITH GLASS DOORS46-47
- FREEZER COUNTER 48-49
- PREPARATION COUNTER 50-51
- REFRIGERATED COUNTER WITH SINK 40X40.. 52-53
- REFRIGERATED COUNTER WITH BASE TOP 54-55
- COMBINATIONS WITH GN DOORS/ DRAWERS 56-57
- EXTRAS 58

REFRIGERATED COUNTER COMPACT

WITH 2 GN DOORS

PGC 124



INOX
304



5
cm

ECO
R 290

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Ecological freon



Table top detail



Gastronorm containers

EXTRAS
PGC 124
PGCS 124



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



ON WORKTOP RACK



WHEELS



TOP UPSTAND



DRAWERS

REFRIGERATED COUNTER COMPACT

WITH DRAWERS

PGC 124 S

INOX
304



5
cm

eco
R290



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Gastro drawers
- Height adjustable inox feet
- Ecological freon

MODEL	PGC 124	PGC 124 S
External dimensions (WxDxH) cm.	124 x 70 x 85	124 x 70 x 85
Capacity (L)	344	344
Temperature Range (°C)	0 to +10	0 to +10
Doors / Drawers	2	4
Door Dimensions (WxH) cm.	45 x 67	-
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	2 / 41 x 48	-
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350
Compressor (HP)	1/4	1/4
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	-	-
Net Weight (kg)	100	134
Volume (m ³)	0,74	0,74
PRICE	1.300 €	1.784 €

REFRIGERATED COUNTER

WITH GN DOORS

PG 139



INOX 304



5 cm

Eco R290

LED

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Ecological freon



Interior view



Gastronorm containers

EXTRAS
PG 139, PG 185
PG 239



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



ON WORKTOP RACK



WHEELS



TOP UPSTAND



DRAWERS



WATER SUPPLY

REFRIGERATED COUNTER

WITH GN DOORS

PG 239

INOX
304



5
cm

eco
R290

LED



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Ecological freon

MODEL	PG 139	PG 185	PG 239
External dimensions (WxDxH) cm.	139 x 70 x 85	185 x 70 x 85	239 x 70 x 85
Capacity (L)	344	510	680
Temperature Range (°C)	0 to +10	0 to +10	0 to +10
Doors	2	3	4
Door Dimensions (WxH) cm.	45 x 67	45 x 67	45 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	2 / 41 x 48	3 / 41 x 48	4 / 41 x 48
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13	6 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350	450
Compressor (HP)	1/4	3/8	1/2
Type of Cooling	Fan assisted	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital
Refrigerant	R 290	R 290	R 290
Internal Light	LED	LED	LED
Net Weight (kg)	100	115	134
Volume (m ³)	0,82	1,10	1,43
PRICE	1.320 €	1.560 €	1.860 €

UNDER MOUNTED REFRIGERATED COUNTER

WITH 2 GN DOORS

PG 110



INOX 304



5 cm

Eco R290

LED

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Height adjustable feet
- Self-closing doors
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Ecological freon



EXTRAS
PG 110
PS 110



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



ON WORKTOP RACK



TOP UPSTAND



DRAWERS

UNDER MOUNTED REFRIGERATED COUNTER

WITH 2 DOUBLE DRAWERS

PS 110

INOX
304



5
cm

Eco
R290



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Height adjustable feet
- Gastro drawers
- Ecological freon

MODEL	PG 110	PS 110
External dimensions (WxDxH) cm.	110 x 70 x 85	110 x 70 x 85
Capacity (L)	215	215
Temperature Range (°C)	0 to +10	0 to +10
Doors / Drawers	2	4
Door / Drawer dimensions (WxH) cm.	45 x 46,5	4 / 45 x 58 x 46,5
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	2 / 41 x 48	-
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 2,5	4 / 2,5
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350
Compressor (HP)	1/4	1/4
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	-
Net Weight (kg)	90	118
Volume (m ³)	0,65	0,65
TIMH	1.296 €	1.780 €

REFRIGERATED COUNTER

WITH BIG DOORS

PM7 185

INOX 304



5 cm

Eco R290

LED



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing sliding doors
- Height adjustable inox feet
- Plastic-coated grills
- Ecological freon



Plastic coated grills



Table top detail

EXTRAS
PM7 185



GRILLS



WHEELS



TOP UPSTAND



ON WORKTOP RACK



WATER SUPPLY

REFRIGERATED COUNTER

WITH BIG DOORS

SERIES 60

MODEL	PM6 155	PM6 185	PM6 216
External dimensions (WxDxH) cm.	155 x 60 x 85	185 x 60 x 85	216 x 60 x 85
Capacity (L)	332	420	510
Temperature Range (°C)	0 to +10	0 to +10	0 to +10
Doors	2	2	3
Door Dimensions (WxD) cm.	52 x 67	52 x 67	52 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	1 / 48 x 39,5 1 / 63 x 39,5	2 / 67 x 39,5	1 / 48 x 39,5 1 / 52,5 x 39,5 1 / 67 x 39,5
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13	6 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350	450
Compressor (HP)	1/4	3/8	1/2
Type of Cooling	Fan assisted	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital
Refrigerant	R 290	R 290	R 290
Internal Light	LED	LED	LED
Net Weight (kg)	105	124	145
Volume (m ³)	0,79	0,94	1,28
PRICE	1.280 €	1.460 €	1.760 €

SERIES 70

MODEL	PM7 155	PM7 185	PM7 216
External dimensions (WxDxH) cm.	155 x 70 x 85	185 x 70 x 85	216 x 70 x 85
Capacity (L)	405	510	620
Temperature Range (°C)	0 to +10	0 to +10	0 to +10
Doors	2	2	3
Door Dimensions (WxH) cm.	52 x 67	52 x 67	52 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	1 / 48 x 49,5 1 / 63 x 49,5	2 / 67 x 49,5	1 / 48 x 49,5 1 / 52,5 x 49,5 1 / 67 x 49,5
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13	6 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350	450
Compressor (HP)	1/4	3/8	1/2
Type of Cooling	Fan assisted	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital
Refrigerant	R 290	R 290	R 290
Internal Light	LED	LED	LED
Net Weight (kg)	110	130	150
Volume (m ³)	0,92	1,10	1,28
PRICE	1.300 €	1.470 €	1.780 €

REFRIGERATED COUNTER WITH GN DOORS

WITHOUT COOLING INSTALLATION

PK 124



INOX 304



5 cm

LED

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable Inox feet
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Fan assisted



Interior view



Plastic coated grills

EXTRAS
PK 124, PK 170
PK 216



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



ON WORKTOP RACK



WHEELS



TOP UPSTAND



DRAWERS

REFRIGERATED COUNTER WITH GN DOORS WITHOUT COOLING INSTALLATION

PK 170

INOX
304



5
cm

LED



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Stainless steel pair sheet for gastronom containers
- Fan assisted

MODEL	PK 124	PK 170	PK 216
External dimensions (WxDxH) cm.	124 x 70 x 85	170 x 70 x 85	216 x 70 x 85
Capacity (L)	344	510	680
Temperature Range (°C)	0 to +10	0 έως +10	0 έως +10
Doors	2	3	4
Door Dimensions (WxH) cm.	45 x 67	45 x 67	45 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	2 / 41 x 48	3 / 41 x 48	4 / 41 x 48
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13	6 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Controller	Digital	Digital	Digital
Internal Light	LED	LED	LED
Net Weight (kg)	80	95	117
Volume (m ³)	0,73	1,01	1,28
PRICE	1.090 €	1.340 €	1.630 €

CHEF BASE

WITH DOUBLE DRAWERS

PS 139

INOX
304



5
cm

Eco
R290



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Height adjustable inox feet
- Gastro drawers
- Ecological freon



Chef base



Wheels

EXTRAS
PS 139, PS 185
PS 239



TOP UPSTAND



WHEELS

CHEF BASE

WITH DOUBLE DRAWERS

PS 239

INOX
304



5
cm

ECO
R290



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Height adjustable inox feet
- Gastro drawers
- Ecological freon

MODEL	PS 139	PS 185	PS 239
External dimensions (WxDxH) cm.	139 x 70 x 68	185 x 70 x 68	239 x 70 x 68
Capacity (L)	255	376	500
Temperature Range (°C)	0 to +10	0 to +10	0 to +10
Drawers (Pcs/Dimensions (WxD) cm.)	4 / 45 x 50,5	6 / 45 x 50,5	8 / 45 x 50,5
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13	6 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 24,5	220 - 240 / 24,5	220 - 240 / 24,5
Input Power (W)	350	350	450
Compressor (HP)	1/4	3/8	1/2
Type of Cooling	Fan assisted	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital
Refrigerant	R 290	R 290	R 290
Internal Light	-	-	-
Net Weight (kg)	117	132	151
Volume (m ³)	0,66	0,88	1,13
PRICE	1.800 €	2.280 €	2.820 €

REFRIGERATED COUNTER

WITH GLASS DOORS GN

PGG 139



INOX
304



5
cm

Eco
R290

LED

- Stainless steel Exterior / Interior
- Self-closing doors with double glass
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Insulation with ecological polyurethane 5cm
- Height adjustable inox feet
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Ecological freon



Double glass door



Glass door

EXTRAS
PGG 139
PGG 185



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



ON WORKTOP RACK



WHEELS



TOP UPSTAND

REFRIGERATED COUNTER WITH GLASS DOORS GN

PGG 185

INOX
304



5
cm

eco
R290

LED



- Stainless steel Exterior / Interior
- Self-closing doors with double glass
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Insulation with ecological polyurethane 5cm
- Height adjustable inox feet
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Ecological freon

MODEL	PGG 139	PGG 185
External dimensions (WxDxH) cm.	139 x 70 x 85	185 x 70 x 85
Capacity (L)	344	510
Temperature Range (°C)	0 to +10	0 to +10
Doors	2	3
Door Dimensions (WxH) cm.	45 x 67	45 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	2 / 41 x 48	3 / 41 x 48
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350
Compressor (HP)	1/4	3/8
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	LED
Net Weight (kg)	108	123
Volume (m ³)	0,82	1,10
PRICE	1.490 €	1.820 €

FREEZER COUNTER

WITH GN DOORS

PGK 139

INOX
304



5
cm

ECO
R290



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Ecological freon



Table top detail



Gastronorm containers

EXTRAS
PGK 139
PMK 185



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



ON WORKTOP RACK



WHEELS



TOP UPSTAND



DRAWERS

FREEZER COUNTER

WITH BIG DOORS

PMK 185

INOX
304



5
cm

ECO
R290



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Ecological freon

MODEL	PGK 139	PMK 185
External dimensions (WxDxH) cm.	139 x 70 x 85	185 x 70 x 85
Capacity (L)	344	510
Temperature Range (°C)	0 to -18	0 to -18
Doors	2	2
Door Dimensions (WxH) cm.	45 x 67	52 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	2 / 41 x 48	2 / 67,5 x 49,5
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	450
Compressor (HP)	3/8	1/2
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	-	-
Net Weight (kg)	120	190
Volume (m ³)	0,82	1,10
PRICE	1.750 €	1.910 €

PREPERATION COUNTER

PIMG 139



INOX 304



5 cm

Eco R290

LED

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Place for GN containers 1/4 on the worktop
- Ecological freon



Gastronorm containers



Saladette interior

EXTRAS
PIMG 139, PIM 155
PIMG 185



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



WHEELS



DRAWERS

PIMG 185

INOX
304



5
cm

ECO
R290

LED



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Stainless steel pair sheet for gastronorm containers
- Place for GN containers 1/4 on the worktop
- Ecological freon

MODEL	PIMG 139	PIM 155	PIMG 185
External dimensions (WxDxH) cm.	139 x 70 x 85/95	155 x 70 x 85/95	185 x 70 x 85/95
Capacity (L)	366	368	532
Temperature Range (°C)	0 to +10	0 to +10	0 to +10
Doors	2	2	3
Door Dimensions (WxH) cm.	45 x 67	52 x 67	45 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	2 / 41 x 48	1 / 48 x 49,5 1 / 63 x 49,5	3 / 41 x 48
Stainless steel gastronorm containers 1/4 (Pcs)	8	8	10
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350	350
Compressor (HP)	1/4	1/4	3/8
Type of Cooling	Fan assisted	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital
Refrigerant	R 290	R 290	R 290
Internal Light	LED	LED	LED
Net Weight (kg)	120	125	138
Volume (m ³)	0,82	0,92	1,10
PRICE	1.750 €	1.850 €	1.990 €

Prices do not include gastronorm containers

REFRIGERATED COUNTER WITH SINK 40X40

AND GN DOORS

PG 159-40L

INOX 304



5 cm

eco R290

LED



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Ecological freon

Water tap is not include.



Plastic coated grills

EXTRAS
MM 155
MM 185



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



WHEELS

REFRIGERATED COUNTER WITH SINK 40X40 AND GN DOORS

PG 205-40L

INOX
304



5
cm

Eco
R 290

LED



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Ecological freon

Water tap is not include.

MODEL	PG 159-40L	PG 205-40L
External dimensions (WxDxH) cm.	159 x 70 x 118	205 x 70 x 118
Capacity (L)	358	510
Temperature Range (°C)	0 to +10	0 to +10
Doors	2	3
Door Dimensions (WxH) cm.	45 x 67	45 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	1 / 48 x 49,5 1 / 63 x 49,5	3 / 41 x 48
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350
Compressor (HP)	1/4	3/8
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	LED
Net Weight (kg)	132	148
Volume (m ³)	0,94	1,21
PRICE	1.650 €	1.890 €

Prices do not include the tap

REFRIGERATED COUNTER

WITH BASE TOP AND BIG DOORS

MM 155



INOX
304



5
cm

Eco
R290

LED

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Ecological freon



Plastic coated grills

EXTRAS
MM 155
MM 185



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



WHEELS

REFRIGERATED COUNTER

WITH BASE TOP AND GN DOORS

MM 185

INOX
304



5
cm

Eco
R290

LED



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Ecological freon

MODEL	MM 155	MM 185
External dimensions (WxDxH) cm.	155 x 70 x 118	185 x 70 x 118
Capacity (L)	368	436
Temperature Range (°C)	0 to +10	0 to +10
Doors	2	3
Door Dimensions (WxH) cm.	52 x 67	45 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	1 / 48 x 49,5 1 / 63 x 49,5	3 / 41 x 48
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350
Compressor (HP)	1/4	3/8
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	LED
Net Weight (kg)	128	140
Volume (m ³)	1,28	1,52
PRICE	1.940 €	2.100 €

REFRIGERATED COUNTERS- DRAWERS AND DOORS COMBINATIONS



PG 139 S



PG 139 SP

MODEL	PG 139 S	PG 139 SP
Dimensions (WxDxH) cm.	139 x 70 x 85	139 x 70 x 85
PRICE	1.804 €	1.562 €



PG 185 S



PG 185 1S2P



PG 185 2S1P

MODEL	PG 185 S	PG 185 1S2P	PG 185 2S1P
Dimensions (WxDxH) cm.	185 x 70 x 85	185 x 70 x 85	185 x 70 x 85
PRICE	2.286 €	1.802 €	2.044 €

REFRIGERATED COUNTERS- DRAWERS AND DOORS

COMBINATIONS



PG 239 S



PG 239 2S2P



PG 239 1S3P

MODEL	PG 239 S	PG 239 2S2P	PG 239 1S3P
Dimensions (WxDxH) cm.	239 x 70 x 85	239 x 70 x 85	239 x 70 x 85
PRICE	2.828 €	2.344 €	2.102 €

**MULTIPLE COMBINATIONS
OF DOORS AND DRAWERS**



GN DOOR

MODEL	DGN
Door Dimensions (WxH) cm.	45 x 67
PRICE	88 €



S12



S1



S2

DRAWERS

MODEL	S12	S1	S2
Dimensions (WxDxH) cm.	45 x 58 x 67		
PRICE - SIMPLE GUIDES	356 €	330 €	504 €
PRICE - TELESCOPIC GUIDES	424 €	398 €	606 €

* All appliances have simple guides

** Drawer guides are made of stainless steel AISI 304 and have durability of 60kg

EXTRA



COUNTER-TOP DISMOUNTABLE RACK

MODEL	R 110	R 139	R 155	R 185	R 216	R 239
Dimensions (WxDxH) cm.	110 x 35 x 70	139 x 35 x 70	155 x 35 x 70	185 x 35 x 70	216 x 35 x 70	239 x 35 x 70
PRICE	300 €	320 €	340 €	390 €	430 €	470 €



TOP UPSTAND

MODEL	C 110	C 139	C 155	C 185	C 216	C 239
Dimensions (WxH) cm	110 x 6	139 x 6	155 x 6	185 x 6	216 x 6	239 x 6
PRICE	55 €	70 €	77 €	92 €	108 €	119 €



GRILLS

INOX	MODEL	S 13	S 14	S 16	S 17	S 18	S 19	S 110	S 111
	PRICE	24 €	28 €	36 €	30 €	23 €	27 €	33 €	24 €
Dimensions (WxD) cm.		41 x 48	48 x 49,5	67 x 49,5	52,5 x 49,5	48 x 39,5	63 x 39,5	67 x 39,5	52,5 x 39,5
PLASTIC COATED	MODEL	SL 3	SL 4	SL 6	SL 7	SL 8	SL 9	SL 10	SL 11
	PRICE	9 €	10 €	13 €	11 €	9 €	11 €	12 €	10 €



WHEELS

MODEL	RO	RO F
Description	Wheel	Wheel with brake
PRICE	10 €	13 €



WATER SUPPLY

MODEL	R1	R2	R3
Description	Tap	G/N 1/2	Water cooler
PRICE	102 €	102 €	182 €



BAMBAS





SALADETTE HEATED & COLD DISPLAYS / BAIN MARIE

- BAKERY & PASTRY REFRIGERATED DISPLAY . 60-63
- SALADETTE64-67
- REFRIGERATED DISPLAY68-71
- HEATED DISPLAY72-73
- BAIN MARIE DISPLAY 74-75
- BAIN MARIE WITHOUT DISPLAY..... 76-77

BAKERY & PASTRY REFRIGERATED DISPLAY

FROST

ZE 198



INOX
304



5
cm

ECO
R 404 a

LED

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Height adjustable inox feet
- Plastic-coated grills
- Front with secret lighting
- Internal light on each shelf
- ON-OFF lighting switch
- Static cooling
- Ecological freon
- Inox frame, front panel, lighting



Possibility of manufacturing heated or neutral display



Front panel is available in multiple colors

BAKERY & PASTRY REFRIGERATED DISPLAY

FROST

Z 198

INOX
304



5
cm

ECO
R 404 a

LED



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Height adjustable inox feet
- Plastic-coated grills
- Internal light on each shelf
- ON-OFF lighting switch
- Static cooling
- Ecological freon

MODEL	ZE 148	ZE 198	Z 148	Z 198
External dimensions (WxDxH) cm.	148 x 90 x 130	198 x 90 x 130	148 x 83 x 130	198 x 83 x 130
Temperature Range (°C)	+3 to +10	+3 to +10	+3 to +10	+3 to +10
Doors	2	2	2	2
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	2 / 68 x 47,5 2 / 68 x 55 2 / 68 x 63	2 / 93 x 47 2 / 93 x 55 2 / 93 x 63	2 / 68 x 47,5 2 / 68 x 55 2 / 68 x 63	2 / 93 x 47 2 / 93 x 55 2 / 93 x 63
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 6	4 / 6	4 / 6	4 / 6
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	450	600	450	600
Compressor (HP)	3/8	1/2	3/8	1/2
Type of Cooling	Static	Static	Static	Static
Type of Defrost	Automatic	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital	Digital
Refrigerant	R 404 a	R 404 a	R 404 a	R 404 a
Internal Light	LED	LED	LED	LED
Net Weight (kg)	200	236	200	236
Volume (m ³)	1,61	2,15	1,61	2,15
PRICE	3.160 €	4.038 €	2.838 €	3.710 €

SALADETTE

WITH DISPLAY

SM 185



INOX
304



5
cm

Eco
R290

LED

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Glass shelf
- On the worktop display for GN containers placement
- Ecological freon



Plastic coated grills



Gastronorm containers

EXTRAS
SM 110, SM 155
SM 185



GASTRONORM CONTAINERS



SUPPORT PAIRS - GN / SHELF



GRILLS



WHEELS

SALADETTE WITH DISPLAY

SM 110

INOX
304



5
cm

eco
R290

LED



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Glass shelf
- On the worktop display for GN containers placement
- Ecological freon

MODEL	SM 110	SM 155	SM 185
External dimensions (WxDxH) cm.	110 x 70 x 130	155 x 70 x 130	185 x 70 x 130
Capacity Storage (L)	215	368	450
Temperature Range (°C)	+3 to +10	+3 to +10	+3 to +10
Doors	2	2	3
Door Dimensions (WxD) cm.	45 x 46,5	52 x 67	45 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	2 / 41 x 48	1 / 48 x 49,5 1 / 63 x 49,5	3 / 41 x 48
Place for GN Containers 1/4 (Pcs)	9	9	13
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 2,5	4 / 10 -13	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350	350
Compressor (HP)	1/4	3/8	3/8
Type of Cooling	Fan assisted	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital
Refrigerant	R 290	R 290	R 290
Internal Light	LED	LED	LED
Internal Light Storage	LED	LED	LED
Net Weight (kg)	110	145	176
Volume (m ³)	1,00	1,41	1,68
PRICE	1.570 €	1.850 €	2.086 €

Prices do not include gastronorm containers

SALADETTE

WITH DISPLAY FOR GN 1/1

SMGN 139



INOX 304



5 cm

Eco R290

LED

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Glass shelf
- On the worktop display for GN 1/1 containers placement
- Ecological freon



Plastic coated grills



Gastronorm containers

EXTRAS
SMGN 139, SMGN 185
SMGN 239



GASTRONORM CONTAINERS



DRAWERS



WHEELS



SALADETTE

WITH DISPLAY FOR GN 1/1

SMGN 185

INOX
304



5
cm

ECO
R290

LED



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Anti-corrosive protection on the evaporator
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable inox feet
- Plastic-coated grills
- Glass shelf
- On the worktop display for GN 1/1 containers placement
- Ecological freon

MODEL	SMGN 139	SMGN 185	SMGN 239
External dimensions (WxDxH) cm.	139 x 70 x 130	185 x 70 x 130	239 x 70 x 130
Capacity Storage (L)	366	532	706
Temperature Range (°C)	+3 to +10	+3 to +10	+3 to +10
Doors	2	3	4
Door Dimensions (WxD) cm.	45 x 67	45 x 67	45 x 67
Place for GN Containers 1/1 (Pcs)	4	5	7
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 - 13	4 / 10 - 13	6 / 10 - 13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350	350
Compressor (HP)	1/4	3/8	1/2
Type of Cooling	Fan assisted	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital
Refrigerant	R 290	R 290	R 290
Internal Light	LED	LED	LED
Internal Light Storage	LED	LED	LED
Net Weight (kg)	120	176	203
Volume (m ³)	1,00	1,41	1,63
PRICE	2.000 €	2.286 €	2.762 €

Prices do not include gastronorm containers

REFRIGERATED DISPLAY

FO 110



INOX
304

5
cm

ECO
R290

LED

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Static cooling
- Ability to preserve fishes and seafood with ice
- Drainage system
- Ecological freon



Suggest to display sea food in ice

INOX
3045
cmECO
R290

LED

FO 110

(Back side)



MODEL	FO 110	FO 150
External dimensions (WxDxH) cm.	110 x 85 x 125	150 x 85 x 125
Temperature Range (°C)	+2 to +10	+2 to +10
Wheels	4 (2 with brake)	4 (2 with brake)
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350
Compressor (HP)	3/8	3/8
Type of Cooling	Static	Static
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	LED
Net Weight (kg)	99	120
Volume (m ³)	1,04	1,42
PRICE	1.740 €	2.180 €

SELF SERVICE REFRIGERATED DISPLAY

FS 110



INOX
304

5
cm

ECO
R290

LED

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Static cooling
- Ability to preserve fishes and seafood with ice
- Drainage system
- Ecological Freon



Suggest to display sea food in ice

SELF SERVICE REFRIGERATED DISPLAY

FS 150

INOX
304

5
cm

ECO
R290

LED



MODEL	FS 110	FS 150
External dimensions (WxDxH) cm.	110 x 85 x 97	150 x 85 x 97
Temperature Range (°C)	+2 to +10	+2 to +10
Wheels	4 (2 with brake)	4 (2 with brake)
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	350
Compressor (HP)	3/8	3/8
Type of Cooling	Static	Static
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	LED
Net Weight (kg)	85	107
Volume (m ³)	1,04	1,42
PRICE	1.620 €	2.060 €

HEATED DISPLAY ON CUPBOARD

HD 110

INOX
304



LED



- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Display with heated top
- Indicative lamp service
- Heating element
- ON-OFF lighting switch
- Storage with shelf
- Sliding doors
- Internal LED light



Analog controller

EXTRAS
HD 110, HD 140



WHEELS

COUNTER-TOP HEATED DISPLAY

INOX
304



LED

HT 80



- Stainless steel Exterior / Interior
- Display with heated top
- Indicative lamp service
- Heating element
- ON-OFF lighting switch
- Internal LED light

COUNTER-TOP HEATED DISPLAY

MODEL	HT 80	HT 100	HT 120
External dimensions (WxDxH) cm.	80 x 53 x 57,5	100 x 53 x 57,5	120 x 53 x 57,5
Temperature Range (°C)	+30 to +90	+30 to +90	+30 to +90
Controller	Analog	Analog	Analog
Input Power (W)	1420	1620	1820
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Plastic feet	4	4	4
Internal Light	LED	LED	LED
Net Weight (kg)	32	36	40
Volume (m ³)	0,22	0,27	0,33
PRICE	650 €	720 €	786 €

HEATED DISPLAY ON CUPBOARD

MODEL	HD 110	HD 140
External dimensions (WxDxH) cm.	110 x 70 x 130	140 x 70 x 130
Capacity (L)	455	579
Temperature Range (°C)	+30 to +90	+30 to +90
Controller	Analog	Analog
Input Power (W)	1800	2350
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Sliding doors	2	2
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13
Internal Light	LED	LED
Net Weight (kg)	95	110
Volume (m ³)	1,00	1,27
PRICE	1.130 €	1.350 €

BAIN MARIE ON CUPBOARD

WITH DISPLAY

MD 106

INOX
304



LED



- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Indicative lamp service
- Heating element
- Water exit valve
- ON-OFF lighting switch
- Storage with shelf
- Sliding doors
- Internal LED light



Water exit valve



Bain marie detail

EXTRAS
MD 106, MD 138
MD 170



GASTRONORM CONTAINERS



WHEELS

COUNTER-TOP BAIN MARIE WITH DISPLAY

MT 106

INOX
304



LED



- Stainless steel Exterior / Interior
- Indicative lamp service
- Heating element
- Water exit valve
- ON-OFF lighting switch
- Internal LED light

COUNTER-TOP BAIN MARIE

MODEL	MT 106	MT 138
External dimensions (WxDxH) cm.	106 x 70 x 77	138 x 70 x 77
Temperature Range (°C)	+30 to +90	+30 to +90
Controller	Analog	Analog
Input Power (W)	1500	1500
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Shelves	-	-
Stainless steel gastronorm containers 1/1 (Pcs)	3	4
Plastic feet	4	4
Internal Light	LED	LED
Net Weight (kg)	34	58
Volume (m ³)	0,55	0,70
PRICE	786 €	982 €

Prices do not include gastronorm containers.

BAIN MARIE ON CUPBOARD

MODEL	MD 106	MD 138	MD 170
External dimensions (WxDxH) cm.	106 x 70 x 130	138 x 70 x 130	170 x 70 x 130
Capacity (L)	455	579	744
Temperature Range (°C)	+30 to +90	+30 to +90	+30 to +90
Controller	Analog	Analog	Analog
Input Power (W)	1500	1500	3000
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Doors	2	2	2
Stainless steel gastronorm containers. 1/1 (Pcs)	3	4	5
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13	4 / 10 -13
Internal Light	LED	LED	LED
Net Weight (kg)	95	110	130
Volume (m ³)	1,00	1,75	2,10
PRICE	1.200 €	1.418 €	1.570 €

Prices do not include gastronorm containers.

BAIN MARIE ON CUPBOARD

MDX 106

INOX
304



- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Indicative lamp service
- Heating element
- Water exit valve
- Storage with shelf
- Sliding doors



Water exit valve

EXTRAS
MDX 106, MDX 138
MDX 170
MTX 106, MTX 138



GASTRONORM CONTAINERS



WHEELS

INOX
304



MTX 106



- Stainless steel Exterior / Interior
- Heating element
- Indicative lamp service
- Water exit valve

COUNTER-TOP BAIN MARIE

MODEL	MTX 106	MTX 138
External dimensions (WxDxH) cm.	106 x 70 x 27	138 x 70 x 27
Temperature Range (°C)	+30 to +90	+30 to +90
Controller	Analog	Analog
Input Power (W)	1500	1500
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Shelves	-	-
Stainless steel gastronorm containers 1/1 (Pcs)	3	4
Plastic feet	4	4
Net Weight (kg)	52	62
Volume (m ³)	0,16	0,21
PRICE	580 €	750 €

Prices do not include gastronorm containers

BAIN MARIE ON CUPBOARD

MODEL	MDX 106	MDX 138	MDX 170
External dimensions (WxDxH) cm.	106 x 70 x 85	138 x 70 x 85	170 x 70 x 85
Capacity (L)	455	579	744
Temperature Range (°C)	+30 to +90	+30 to +90	+30 to +90
Controller	Analog	Analog	Analog
Input Power (W)	1500	1500	3000
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Doors	2	2	2
Stainless steel gastronorm containers 1/1 (Pcs)	3	4	5
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13	4 / 10 -13
Net Weight (kg)	76	98	105
Volume (m ³)	0,65	0,83	1,01
PRICE	1.000 €	1.198 €	1.330 €

Prices do not include gastronorm containers



Ice cream

All we need is cake

Without
there is
darkness
Don't





LUX SERIES

- REFRIGERATED DISPLAY 80-81
- HEATED DISPLAY 82-83
- CASHIER 84-85

BAKERY & PASTRY REFRIGERATED DISPLAY

LUX

CDF 108 CORIAN



CORIAN

INOX
304

5
cm

Eco
R290

LED




WHITE GLOSS
FINISH



BLACK GLOSS
FINISH

- Exterior made of corian and stainless steel 304
- Interior stainless steel 304
- Front decoration with corian and customer choice color
- Insulation with ecological polyurethane 5cm
- Glass shelves
- Magnetic closing sliding doors
- Display LED lighting
- Front decoration with secret lighting LED
- Uniform cooling distribution on each shelf through air flow system
- Air speed regulator
- Double glasses for low energy consumption
- Fan assisted cooling
- Height adjustable inox feet
- Ecological freon



Smart adjustable air flow
system for uniform cooling

BAKERY & PASTRY REFRIGERATED DISPLAY

LUX

CORIAN

INOX
304

5
cm

eco
R290

LED

CDF 108

INOX



MODEL	BFK 108	BFK 138
External dimensions (WxDxH) cm.	108 x 70 x 120	138 x 70 x 120
Temperature Range (°C)	+3 to +10	+3 to +10
Sliding Doors	2	2
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10-13	4 / 10-13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	435	600
Compressor (HP)	1/2	3/4
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Controller	Digital	Digital
Refrigerant	R 290	R 290
Internal Light	LED	LED
Decoration Light	LED	LED
Net Weight (kg)	153	190
Volume (m ³)	1,28	1,75
PRICE - Decoration CORIAN	3.190 €	3.480 €
PRICE - Decoration INOX	2.900 €	3.000 €

BAKERY & PASTRY HEATED DISPLAY

LUX

CDH 108

CORIAN



CORIAN

INOX
304

5
cm



LED



WHITE GLOSS
FINISH



BLACK GLOSS
FINISH

- Exterior made of corian and stainless steel 304
- Interior stainless steel 304
- Front decoration with corian and customer choice color
- Insulation with ecological polyurethane 5cm
- Glass shelves
- Magnetic closing sliding doors
- Display LED lighting
- Front decoration with secret lighting LED
- Uniform heating distribution on each shelf through air flow system
- Double glasses for low energy consumption
- Height adjustable inox feet



Display top side

BAKERY & PASTRY HEATED DISPLAY

LUX

CORIAN

INOX
304

5
cm



LED

CDH 108

INOX



MODEL	BFK 108	BHK 138
External dimensions (WxDxH) cm.	108 x 70 x 120	138 x 70 x 120
Temperature Range (°C)	+30 to +60	+30 to +60
Sliding Doors	2	2
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10-13	4 / 10-13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Input Power (W)	1030	2050
Controller	Digital	Digital
Internal Light	LED	LED
Decoration Light	LED	LED
Net Weight (kg)	115	130
Volume (m ³)	1,28	1,75
PRICE - Decoration CORIAN	2.870 €	2.940 €
PRICE - Decoration INOX	2.720 €	2.830 €

CASHIER COUNTER

LUX

CT 80

CORIAN

CORIAN

INOX
304

LED



WHITE GLOSS
FINISH



BLACK GLOSS
FINISH

- Exterior made of corian, glass and stainless steel 304
- Interior stainless steel 304
- Front decoration with mat glass and changing color LED
- Corner cashier available on request only
- Interior shelf
- Height adjustable inox feet



Storage with shelf

CASHIER COUNTER

LUX

CORIAN

INOX
304

CT 80


INOX



WHITE GLOSS
FINISH



BLACK GLOSS
FINISH



LUX LINE placement view

MODEL	BT 80	BT 100	BT 150
External dimensions (WxDxH) cm.	80 x 70 x 85	100 x 70 x 85	150 x 70 x 85
Shelves	1	1	1
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10-13	4 / 10-13	4 / 10-13
Net Weight (kg)	40	50	65
Volume (m ³)	0,61	0,82	1,20
PRICE - Decoration CORIAN	1.530 €	1.730 €	2.030 €
PRICE - Decoration INOX	1.330 €	1.530 €	1.830 €





CORIAN FROST SERIES

- REFRIGERATED DISPLAY 89-90
- BAIN MARIE 91-92
- HEATED DISPLAY 93-94
- CASHIER95-96
- EXTRAS 97-98

REFRIGERATED DISPLAY

CORIAN FROST

BFC 110

GLASS



CORIAN

INOX
304



5
cm

Eco
R290

LED



Possibility of changing
light color in GLASS
decoration model

- Exterior made of corian, glass and stainless steel 304
- Interior stainless steel 304
- Front decoration with matte glass and LED light
- Insulation with ecological polyurethane 5cm
- Height adjustable inox feet
- Glass shelf at the display
- Cooling storage space
- Cooling display for GN containers or inox trays placement
- ON-OFF lighting switch
- Ecological freon



Refrigerated storage



Refrigerated display

REFRIGERATED DISPLAY

CORIAN FROST

WOOD



Front panel is available in multiple colors



BFC 110

WOOD
INOX

INOX



MODEL	BFC 110	BFC 150	BFC 180
External dimensions (WxDxH) cm.	110 x 90 x 130	150 x 90 x 130	180 x 90 x 130
Temperature Range (°C)	+3 to +10	+3 to +10	+3 to +10
Doors	1	2	2
Stainless steel gastronorm containers 1/1 (Pcs)	3	4	5
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10-13	4 / 10-13	4 / 10-13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	500	550
Compressor (HP)	3/8	1/2	1/2
Type of Cooling	Fan assisted	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital
Refrigerant	R 290	R 290	R 290
Internal Light	LED	LED	LED
Decoration Light	LED	LED	LED
Net Weight (kg)	155	175	200
Volume (m ³)	1,28	1,75	2,10
PRICE - Decoration GLASS	3.250 €	3.468 €	4.122 €
PRICE - Decoration WOOD	3.150 €	3.368 €	4.022 €
PRICE - Decoration INOX	3.050 €	3.268 €	3.922 €

Prices do not include gastronorm containers

BAIN MARIE DISPLAY

CORIAN FROST

CMF 110

GLASS



CORIAN

INOX
304



5
cm



LED



Possibility of changing
light color in GLASS
decoration model

- Exterior made of corian, glass and stainless steel 304
- Interior stainless steel 304
- Front decoration with matte glass and LED light
- Insulation with ecological polyurethane 5cm
- Height adjustable inox feet
- Resistance thermostat
- Water exit valve
- Storage space
- LED lighting on display
- ON-OFF lighting switch



Bain marie detail



Storage doors



Water exit valve

BAIN MARIE DISPLAY

CORIAN FROST

CMF 110

WOOD
INOX

WOOD



Front panel is available in multiple colors



INOX



MODEL	CMF 110	CMF 150	CMF 180
External dimensions (WxDxH) cm.	110 x 90 x 130	150 x 90 x 130	180 x 90 x 130
Temperature Range (°C)	+30 to +90	+30 to +90	+30 to +90
Sliding Doors	2	2	2
Stainless steel gastronorm containers 1/1 (Pcs)	3	4	5
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10-13	4 / 10-13	4 / 10-13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	1550	1550	3050
Controller	Analog	Analog	Analog
Internal Light	LED	LED	LED
Decoration Light	LED	LED	LED
Net Weight (kg)	115	130	140
Volume (m ³)	1,28	1,75	2,10
PRICE - Decoration GLASS	3.030 €	3.246 €	3.788 €
PRICE - Decoration WOOD	2.930 €	3.146 €	3.688 €
PRICE - Decoration INOX	2.830 €	3.046 €	3.588 €

Prices do not include gastronorm containers

HEATED DISPLAY

CORIAN FROST

CHF 110

GLASS



CORIAN

INOX
304



5
cm



LED



Possibility of changing
light color in GLASS
decoration model

- Exterior made of corian, glass and stainless steel 304
- Interior stainless steel 304
- Front decoration with matte glass and LED light
- Insulation with ecological polyurethane 5cm
- Glass shelf at the display
- Height adjustable inox feet
- Display with heated top
- Indicative lamp service
- Heating element
- ON-OFF lighting switch
- LED light on the display



Storage doors

HEATED DISPLAY CORIAN FROST

CHF 110

WOOD
INOX

WOOD



Front panel is available in multiple colors



INOX



MODEL	CHF 110	CHF 150	CHF 180
External dimensions (WxDxH) cm.	110 x 90 x 130	150 x 90 x 130	180 x 90 x 130
Temperature Range (°C)	+30 to +90	+30 to +90	+30 to +90
Sliding Doors	2	2	2
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10-13	4 / 10-13	4 / 10-13
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	1650	2350	3550
Controller	Analog	Analog	Analog
Internal Light	LED	LED	LED
Decoration Light	LED	LED	LED
Net Weight (kg)	130	153	190
Volume (m ³)	1,28	1,75	2,10
PRICE - Decoration GLASS	3.030 €	3.246 €	3.788 €
PRICE - Decoration WOOD	2.930 €	3.146 €	3.688 €
PRICE - Decoration INOX	2.830 €	3.046 €	3.588 €

CASHIER COUNTER

CORIAN FROST

CTF 80

GLASS

CORIAN

INOX
304

LED



Possibility of changing
light color in GLASS
decoration model

- Exterior made of corian, glass and stainless steel 304
- Interior stainless steel 304
- Front decoration with matte glass and LED light
- Corner cashier available on request only
- Interior shelf
- Height adjustable inox feet



Storage with shelf

CASHIER COUNTER

CORIAN FROST

CORIAN

INOX
304

WOOD



Front panel is available in multiple colors



CTF 80

WOOD
INOX

INOX



MODEL	CTF 80	CTF 100	CTF 150
External dimensions (WxDxH) cm.	80 x 90 x 85	100 x 90 x 85	150 x 90 x 85
Shelves	1	1	1
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10-13	4 / 10-13	4 / 10-13
Net Weight (kg)	40	50	65
Volume (m ³)	0,61	0,76	1,15
PRICE - Decoration GLASS	1.300 €	1.400 €	1.700 €
PRICE - Decoration WOOD	1.200 €	1.300 €	1.600 €
PRICE - Decoration INOX	1.100 €	1.200 €	1.500 €

CORIAN FROST LINE

GLASS



WOOD



INOX



GLASS



Possibility of choosing light color in GLASS decoration (no charge)



White color as standard



COLOR CHANGING KIT CONTROLLER

Only in GLASS decoration

MODEL	COLOR-CHANGE
PRICE	200 €

WOOD



Possibility of choosing color in WOOD decoration (no charge)



More color options available at page 108

FROST SERIES

- REFRIGERATED DISPLAY 102
- SALADETTE 103
- HEATED DISPLAY 104
- BAIN MARIE 105
- CASHIER 106-107

REFRIGERATED DISPLAY

FROST

ZFM 110



INOX 304



5 cm

Eco R290

LED

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Height adjustable inox feet
- Stainless steel grills
- Front with secret lighting
- Internal light
- ON-OFF lighting switch
- Ecological freon



Refrigerated Storage



Front panel is available in multiple colors

MODEL	ZFM 110	ZFM 150	ZFM 180
External dimensions (WxDxH) cm.	110 x 90 x 130	150 x 90 x 130	180 x 90 x 130
Temperature Range (°C)	+3 to +10	+3 to +10	+3 to +10
Refrigerated storage doors	1	2	2
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 6	4 / 6	4 / 6
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	400	550	600
Compressor (HP)	3/8	1/2	1/2
Type of Cooling	Fan assisted	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital
Refrigerant	R 290	R 290	R 290
Internal Light	LED	LED	LED
Decoration Light	LED	LED	LED
Net Weight (kg)	153	187	205
Volume (m ³)	1,28	1,75	2,1
PRICE	2.838 €	3.276 €	3.930 €

BFM 110

INOX
304



5
cm

Eco
R290

LED



Refrigerated Storage



Front panel is available in multiple colors

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5cm
- Height adjustable inox feet
- Glass shelf at the display
- Cooling display for GN containers placement
- Front with secret lighting
- ON-OFF lighting switch
- Ecological freon

MODEL	BFM 110	BFM 150	BFM 180
External dimensions (WxDxH) cm.	110 x 90 x 130	150 x 90 x 130	180 x 90 x 130
Temperature Range (°C)	+3 to +10	+3 to +10	+3 to +10
Refrigerated storage doors	1	2	2
Stainless steel gastronorm containers 1/1 (Pcs)	3	4	5
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 6	4 / 6	4 / 6
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Input Power (W)	350	500	550
Compressor (HP)	3/8	1/2	1/2
Type of Cooling	Fan assisted	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic	Automatic
Controller	Digital	Digital	Digital
Refrigerant	R 290	R 290	R 290
Internal Light / Storage	LED	LED	LED
Decoration Light	LED	LED	LED
Net Weight (kg)	140	155	185
Volume (m ³)	1,28	1,75	2,1
PRICE	2.620 €	2.838 €	3.494 €

Prices do not include gastronorm containers

HEATED DISPLAY

FROST

HF 110



INOX
304



LED

- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Front with secret lighting
- Display with heated top
- Indicative lamp service
- Heating element
- ON-OFF lighting switch
- LED lighting on display



Storage doors



Front panel is available in multiple colors

MONTEAO	HF 110	HF 150	HF 180
External dimensions (WxDxH) cm.	110 x 90 x 130	150 x 90 x 130	180 x 90 x 130
Temperature Range (°C)	+30 to +90	+30 to +90	+30 to +90
Controller	Analog	Analog	Analog
Input Power (W)	1850	3150	3150
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Doors	2	2	2
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 6	4 / 6	4 / 6
Internal Light	LED	LED	LED
External Light	LED	LED	LED
Net Weight (kg)	110	135	150
Volume (m ³)	1,28	1,75	2,1
TIMH	2.400 €	2.618 €	3.164 €

MF 110

INOX
304



Water exit valve



Storage doors



Front panel is available in multiple colors

- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Front with secret lighting
- Indicative lamp service
- Resistance thermostat
- Water exit valve
- Inox heating element
- ON-OFF lighting switch
- LED lighting on display

MONTEAO	MF 110	MF 150	MF 180
External dimensions (WxDxH) cm.	110 x 90 x 130	150 x 90 x 130	180 x 90 x 130
Temperature Range (°C)	+30 to +90	+30 to +90	+30 to +90
Controller	Analog	Analog	Analog
Input Power (W)	1550	1600	3150
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Doors	2	2	2
Stainless steel gastronorm containers 1/1 (Pcs)	3	4	5
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 6	4 / 6	4 / 6
Internal Light	LED	LED	LED
External Light	LED	LED	LED
Net Weight (kg)	110	135	140
Volume (m ³)	1,28	1,75	2,1
TIMH	2.400 €	2.618 €	3.164 €

Prices do not include gastronorm containers

COUNTER

FROST

TF 110

INOX
304



- Stainless steel Exterior / Interior
- Height adjustable inox feet

- Interior shelf
- Front with secret lighting



Front panel is available in multiple colors



Storage with shelf

INOX
304

TF EX






Front panel is available in multiple colors

- Stainless steel Exterior / Interior
- 90° Corner
- Height adjustable inox feet
- Front with secret lighting

MODEL	TF 80	TF 100	TF EX
External dimensions (WxDxH) cm.	80 x 90 x 85	100 x 90 x 85	90 x 90 x 85
Doors	-	-	-
Shelves	1	1	-
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 6	4 / 6	4 / 6
Net Weight (kg)	40	48	42
Volume (m ³)	0,61	0,76	0,681
PRICE	1.000 €	1.200 €	1.500 €

DECORATIONS COLOR GUIDE





STAINLESS STEEL PRODUCTS

- CUPBOARDS 112-116
- TABLES117
- HEATED CUPBOARD 118
- FOOD WARMER WITH LAMPS 119
- STORAGE BIN / DRAWERS..... 120
- BUTCHER BLOCK TABLE / CUTLERY STAND..... 121
- FISH TABLE / CUPBOARD 122
- WALL CUPBOARD123-124
- WATER COOLER 124
- CONTAINER TRAY TROLLEY 125
- RACKS..... 126
- HOOD / FILTERS127-128
- SINK UNITS 129-139
- CUSTOM MADE CONSTRUCTIONS140-141
- GN CONTAINERS..... 142
- BASINS 143
- CONSUMABLES.....144-145

CUPBOARD

WITH SLIDING DOORS

E 120

INOX
304



- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Strong manufacture
- Storage shelf
- Sliding doors

MODEL	E 100	E 120	E 140	E 160
External dimensions (WxDxH) cm.	100 x 70 x 85	120 x 70 x 85	140 x 70 x 85	160 x 70 x 85
Capacity Storage (L)	460	540	630	720
Doors	2	2	2	2
Shelves	1	1	1	1
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 - 13	4 / 10 - 13	4 / 10 - 13	4 / 10 - 13
Net Weight (kg)	40	48	57	65
Volume (m ³)	0,6	0,71	0,89	0,95
PRICE	480 €	524 €	588 €	656 €

MODEL	E 180	E 200	E 220	E 240
External dimensions (WxDxH) cm.	180 x 70 x 85	200 x 70 x 85	220 x 70 x 85	240 x 70 x 85
Capacity Storage (L)	810	910	1000	1090
Doors	2	4	4	4
Shelves	1	1	1	1
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 - 13	6 / 10 - 13	6 / 10 - 13	6 / 10 - 13
Net Weight (kg)	69	77	85	94
Volume (m ³)	1,13	1,2	1,31	1,42
PRICE	720 €	800 €	880 €	910 €

CUPBOARD WITH HINGED DOORS

INOX
304

EO 120



- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Strong manufacture
- Storage shelf
- Hinged doors

MODEL	EO 100	EO 120	EO 140	EO 160
External dimensions (WxDxH) cm.	100 x 70 x 85	120 x 70 x 85	140 x 70 x 85	160 x 70 x 85
Capacity Storage (L)	460	540	630	720
Doors	2	2	2	3
Shelves	1	1	1	1
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 - 13	4 / 10 - 13	4 / 10 - 13	4 / 10 - 13
Net Weight (kg)	40	48	57	65
Volume (m ³)	0,6	0,71	0,89	0,95
PRICE	520 €	564 €	648 €	716 €

MODEL	EO 180	EO 200	EO 220	EO 240
External dimensions (WxDxH) cm.	180 x 70 x 85	200 x 70 x 85	220 x 70 x 85	240 x 70 x 85
Capacity Storage (L)	810	910	1000	1090
Doors	3	4	4	4
Shelves	1	1	1	1
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 - 13	6 / 10 - 13	6 / 10 - 13	6 / 10 - 13
Net Weight (kg)	69	77	85	94
Volume (m ³)	1,13	1,19	1,31	1,42
PRICE	780 €	880 €	940 €	996 €

CUPBOARD WITH DRAWERS AND STORAGE BIN

ESA 100

INOX
304



CUPBOARD WITH DRAWERS AND STORAGE BIN

- Stainless steel Exterior / Interior
- Height adjustable Inox feet
- Stainless steel drawers
- Stainless steel storage bin

MODEL	ESA 100
External dimensions (WxDxH) cm.	100 x 70 x 85
Drawers (Pcs/Dimensions (WxDxY) cm.)	3 / 36 x 45 x 13
Storage Bin (Pcs/Dimensions (WxDxY) cm.)	1 / 45 x 40 x 62
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 - 13
Net Weight (kg)	75
Volume (m ³)	0,59
PRICE	900 €

ES 50

INOX
304



CUPBOARD WITH DRAWERS

- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Stainless steel drawers

MODEL	ES 50
External dimensions (WxDxH) cm.	50 x 70 x 85
Drawers (Pcs/Dimensions (WxDxY) cm.)	3 / 36 x 45 x 13
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 - 13
Net Weight (kg)	35
Volume (m ³)	0,23
PRICE	600 €

INOX
304

EA 50

CUPBOARD WITH STORAGE BIN

- Stainless steel Exterior / Interior
- Height adjustable Inox feet
- Stainless steel storage bin



MODEL	EA 50
External dimensions (WxDxH) cm.	50 x 70 x 85
Storage Bin (Pcs/Dimensions (WxDxY) cm.)	1 / 45 x 40 x 62
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 - 13
Net Weight (kg)	29
Volume (m ³)	0,23
PRICE	450 €

INOX
304

EK 86

COFFEE MACHINE BASE

- Stainless steel Exterior / Interior
- Strong manufacture
- Stainless steel drawers
- Internal bar



MODEL	EK 50	EK 86
External dimensions (WxDxH) cm.	50 x 50 x 23	86 x 50 x 23
Drawers (Pcs/Dimensions (WxDxY) cm.)	1 / 36 x 45 x 13	2 / 36 x 45 x 13
Internal bar	1	1
Net Weight (kg)	13	19
Volume (m ³)	0,05	0,095
PRICE	320 €	470 €

CUPBOARDS

EP 100

INOX
304



CUPBOARD WITH WALL CUPBOARD, DRAWERS AND STORAGE BIN

- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Stainless steel drawers
- Stainless steel storage bin
- Wall cupboard with sliding glass doors

MODEL	EP 100
External dimensions (WxDxH) cm.	100 x 70 x 195
Drawers (Pcs/Dimensions (WxDxY) cm.)	3 / 36 x 45 x 13
Storage Bin (Pcs/Dimensions (WxDxY) cm.)	1 / 45 x 40 x 62
Wall cupboard (Dimensions (WxDxY) cm.)	100 x 30 x 70
Wall cupboard shelves	2
Wall cupboard doors	2 - Glass
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 - 13
Net Weight (kg)	100
Volume (m ³)	1,36
PRICE	1.538 €

EE 120

INOX
304



CLOSET CUPBOARD

- Stainless steel Exterior / Interior
- Height adjustable Inox feet
- Strong manufacture
- Strong shelves

MODEL	EE 120	EE 140
External dimensions (WxDxH) cm.	120 x 70 x 200	140 x 70 x 200
Shelves	3	3
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 - 13	4 / 10 - 13
Net Weight (kg)	85	107
Volume (m ³)	1,68	2,24
PRICE	925 €	1.025 €

INOX
304

T 140

TABLE

- Stainless steel Exterior / Interior
- Height adjustable feet
- Strong manufacture
- Strong shelf



MODEL	T 100	T 120	T 140	T 160	T 180	T 200	T 220	T 240
Dimensions (WxDxY) cm.	100 x 70 x 85	120 x 70 x 85	140 x 70 x 85	160 x 70 x 85	180 x 70 x 85	200 x 70 x 85	220 x 70 x 85	240 x 70 x 85
Net Weight (kg)	29	35	40	48	52	70	78	85
Volume (m ³)	0,59	0,71	0,83	0,95	1,07	1,19	1,3	1,42
PRICE	304 €	348 €	370 €	400 €	440 €	470 €	500 €	550 €

INOX
304

TA 120

TABLE WITH HOLE FOR RUBBISH

- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Hole for rubbish
- Strong manufacture
- Strong shelf
- Place for storage bin



MONTEAO	TA 80	TA 120
Dimensions (WxDxY) cm.	80 x 70 x 85	120 x 70 x 85
Net Weight (kg)	21	31
Volume (m ³)	0,47	0,71
TIMH	390 €	420 €

The storage bin on wheels is not included in the prices

HEATED CUPBOARD

EH 140

INOX
304



- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Indicative lamp service
- Resistance thermostat
- Heated storage with shelf



Controller, detail

EXTRA
EH 120 - EH 140
EH 160 - EH 180



WHEELS

FOOD WARMER WITH LAMPS

INOX
304



XD 1



- Stainless steel Exterior / Interior
- Lamps 250W
- Stainless steel GN container 1/1
- Lamp switch ON- OFF

FOOD WARMER WITH LAMPS

MODEL	XD 1
External dimensions (WxDxH) cm.	35 x 56 x 64
Heating Element (Pcs/ Input Power) (W)	2 x 250
Net Weight (kg)	5
Volume (m ³)	0,12
PRICE	280 €

HEATED CUPBOARD

MODEL	EH 120	EH 140	EH 160	EH 180
External dimensions (WxDxH) cm.	120 x 70 x 85	140 x 70 x 85	160 x 70 x 85	180 x 70 x 85
Capacity (L)	493	575	658	741
Temperature Range (°C)	+30 to +90	+30 to +90	+30 to +90	+30 to +90
Controller	Analog	Analog	Analog	Analog
Input Power (W)	2000	2500	3000	3500
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Doors	2	2	2	2
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13	4 / 10 -13	4 / 10 -13	4 / 10 -13
Net Weight (kg)	63	80	90	100
Volume (m ³)	0,71	0,89	0,95	1,13
PRICE	760 €	828 €	896 €	960 €

STORAGE BINS - DRAWERS

AP 1



INOX
304

STORAGE BIN ON WHEELS

MODEL	AP 1
Dimensions (WxDxY) cm.	45 x 54 x 76
Net Weight (kg)	13
Capacity (L)	150
PRICE	348 €

AM 1



INOX
304

TILT STORAGE BIN

MODEL	AM 1
Dimensions (WxDxY) cm.	45 x 40 x 62
Net Weight (kg)	8
Capacity (L)	88
PRICE	270 €

SE 1



INOX
304

CUPBOARD / TABLE DRAWER

MODEL	SE 1
Dimensions (WxDxY) cm.	36 x 45 x 13
Net Weight (kg)	4
Volume (m ³)	0,02
PRICE	130 €

BUTCHER BLOCK TABLE / CUTLERY & BREAD DISPENSER UNIT

INOX
304

BUTCHER BLOCK TABLE

- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Strong manufacture
- H.A.C.C.P. polyethylene butcher block 20mm
- Color choice white / red



White color

KP 50



MODEL	KP 40	KP 50	KP 60	KP 70
Dimensions (WxDxY) cm.	40 x 40 x 85	50 x 50 x 85	60 x 60 x 85	70 x 70 x 85
Net Weight (kg)	15	20	25	30
Volume (m ³)	0,13	0,21	0,30	0,41
PRICE	300 €	400 €	480 €	550 €

INOX
304

CUTLERY & BREAD DISPENSER UNIT

- Stainless steel Exterior / Interior
- Plastic case for cutlery
- Bread case
- Stainless steel shelves

K 75



MODEL	K 75
Dimensions (WxDxY) cm.	75 x 68 x 150
Stainless steel shelves	2
Net Weight (kg)	20
Volume (m ³)	0,86
PRICE	600 €

FISH TABLE / CUPBOARD

TF 120

INOX
304



FISH TABLE WITH SLOPING WORKTOP

- Stainless steel Exterior / Interior
- Height adjustable feet
- Sloping worktop
- Strong manufacture
- Drainage

MODEL	TF 120	TF 160	TF 200
Dimensions (WxDxY) cm.	120 x 120 x 90-105	160 x 120 x 90-105	200 x 120 x 90-105
Net Weight (kg)	40	50	60
Volume (m ³)	1,5	2	2,52
PRICE	820 €	926 €	1.250 €

EF 120

INOX
304



FISH CUPBOARD

- Stainless steel Exterior / Interior
- Height adjustable inox feet
- Sloping worktop
- Strong manufacture
- Drainage

MODEL	EF 120	EF 160	EF 200
External dimensions (WxDxH) cm.	120 x 120 x 90-105	160 x 120 x 90-105	200 x 120 x 90-105
Doors	2	2	4
Shelves	1	1	1
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 - 13	4 / 10 - 13	6 / 10 - 13
Net Weight (kg)	82	92	100
Volume (m ³)	1,50	2,02	2,52
PRICE	1.200 €	1.390 €	1.850 €

WALL CUPBOARDS WITH SLIDING GLASS - INOX DOORS

INOX
304

PK 120

WITH GLASS SLIDING DOORS

- Stainless steel Exterior / Interior
- Strong stainless steel shelves
- Aluminium guide with roller
- Glass sliding doors



MODEL	PK 120	PK 140	PK 160	PK 180	PK 240
Dimensions (WxDxY) cm.	120 x 30 x 70	140 x 30 x 70	160 x 30 x 70	180 x 30 x 70	240 x 30 x 70
Shelves	2	2	2	2	2
Glass sliding doors	2	2	2	2	4
Net Weight (kg)	29	37	45	50	63
Volume (m ³)	0,25	0,31	0,33	0,4	0,5
PRICE	350 €	392 €	436 €	480 €	580 €

INOX
304

PI 120

WITH INOX SLIDING DOORS

- Stainless steel Exterior / Interior
- Strong stainless steel shelves
- Inox sliding doors




MODEL	PI 120	PI 140	PI 160	PI 180	PI 240
Dimensions (WxDxY) cm.	120 x 35 x 70	140 x 35 x 70	160 x 35 x 70	180 x 35 x 70	240 x 35 x 70
Shelves	2	2	2	2	2
Inox sliding doors	2	2	2	2	4
Net Weight (kg)	35	40	45	51	64
Volume (m ³)	0,29	0,34	0,39	0,46	0,8
PRICE	400 €	430 €	480 €	528 €	770 €

OPEN WALL CUPBOARD - ELECTRIC WATER COOLER

P 120

INOX
304



CUPBOARD WITHOUT DOORS

- Stainless steel Exterior / Interior
- Strong manufacture
- Strong stainless steel shelves

MODEL	P 120	P 140	P 160	P 180	P 240
Dimensions (WxDxY) cm.	120 x 30 x 70	140 x 30 x 70	160 x 30 x 70	180 x 30 x 70	240 x 30 x 70
Shelves	2	2	2	2	2
Net Weight (kg)	26	34	40	45	57
Volume (m ³)	0,25	0,31	0,33	0,4	0,5
PRICE	310 €	350 €	390 €	440 €	540 €

HD 250

ECO
R290

INOX
304



WATER COOLER

- Professional type water cooler
- Up to 250 glass of water efficiency
- Water temperature controller
- Strong manufacture


MODEL	HD 250
External dimensions (WxDxH) cm.	37 x 44 x 45
Efficiency (L/h)	55
Input Power (W)	350
Compressor (HP)	3/8
Refrigerant	R 290
Net Weight (kg)	25
Volume (m ³)	0,07
PRICE	504 €

INOX
304

KR 1/1

CONTAINER TRAY TROLLEY

- Stainless steel tube
- Strong manufacture
- Wheels with brake



MODEL	KR 1/1	KR 2/1
Dimensions (WxDxY) cm.	40,5 x 56 x 180	73 x 56 x 180
Places	16	16
Net Weight (kg)	32	40
Volume (m ³)	0,41	0,74
PRICE	760 €	840 €

INOX
304

RD 120

SHELVING UNIT

- Stainless steel
- Strong manufacture
- Height adjustable feet
- Dismountable for easy transport
- Adjustable shelves per 10cm possibility of extra shelf
- Appropriate for cold room



MODEL	RD 100	RD 120	RD 150	RD 180
Dimensions (WxDxY) cm.	100 x 60 x 180	120 x 60 x 180	150 x 60 x 180	180 x 60 x 180
Shelves	4	4	4	4
Net Weight (kg)	35	37	50	54
Volume (m ³)	1	1,2	1,6	1,9
PRICE	485 €	510 €	578 €	700 €

WALL MOUNTED RACK



SHELF

MODEL	R
Dimensions (WxD) cm.	70 x 40
PRICE	40 €



BRACKET

MODEL	RB
Dimensions (W) cm.	40
PRICE	18 €

WALL SHELF

- Stainless steel
- Strong manufacture
- Height / Slope adjustable shelves
- Backsplash



COLUMN

MODEL	RK
Dimensions (H) cm.	67
PRICE	30 €



UTENSILS HANGING KIT

MODEL	RS1
PRICE	10 €

INOX
304

FT 150

WALL MOUNTED HOOD

- Stainless steel Exterior / Interior
- Filter socket
- Groove for oil removal



MODEL	FT 150	FT 200	FT 250	FT 300
Dimensions (WxDxY) cm.	150 x 90 x 60	200 x 90 x 60	250 x 90 x 60	300 x 90 x 60
Net Weight (kg)	34	42	52	60
Volume (m ³)	0,81	1,08	1,35	1,62
PRICE	436 €	523 €	632 €	720 €

Filters are not included in the prices

INOX
304

FS 150

SNACK HOOD

- Stainless steel Exterior / Interior
- Filter socket
- Groove for oil removal



MODEL	FS 100	FS 150	FS 200	FS 250
Dimensions (WxDxY) cm.	100 x 75 x 60	150 x 75 x 60	200 x 75 x 60	250 x 75 x 60
Net Weight (kg)	23,6	30	37,8	44,7
Volume (m ³)	0,25	0,38	0,5	0,63
PRICE	392 €	436 €	524 €	656 €

Filters are not included in the prices

CEILING-MOUNTED HOOD

FK 150

INOX
304



CEILING-MOUNTED HOOD

- Stainless steel Exterior / Interior
- Filters socket
- Groove for oil removal
- Hanging socket

MODEL	FK 150	FK 200	FK 250	FK 300
Dimensions (WxDxY) cm.	150 x 120 x 60	200 x 120 x 60	250 x 120 x 60	300 x 120 x 60
Net Weight (kg)	34	42	52	60
Volume (m ³)	0,99	1,32	1,65	1,98
PRICE	872 €	1.092 €	1.310 €	1.528 €

Filters are not included in the prices

FF 00

INOX
304



EXHAUST HOOD FILTERS

- Stainless steel Exterior / Interior

MODEL	FF 00
Dimensions (WxD) cm.	49 x 50
PRICE	56 €

INOX
304

LP 120

SINK UNIT FOR DISHWASHER

- Stainless steel Exterior / Interior
- Place for professional dishwasher
- Hole for rubbish
- Place for storage bin
- Basin's dimension 50 x 40cm.



MODEL	LP 120
Dimensions (WxDxY) cm.	120 x 80 x 82
Basin (Pcs/Dimensions (WxD) cm.)	1 / 50 x 40
Net Weight (kg)	17
Volume (m ³)	0,78
PRICE	860 €

INOX
304

LP 50

SINK UNIT WITH PEDAL

- Stainless steel Exterior / Interior
- Valve for hot / cold water
- Inox fountain
- Drainage system



MODEL	LP 50
Dimensions (WxDxY) cm.	45 x 40 x 85
Basin (Pcs)	1
Net Weight (kg)	13
Volume (m ³)	0,18
PRICE	450 €

SINK ON CUPBOARD

WITH 1 BASIN 50x50x30 or 40x40x25 or 34x37x15 cm.

LK1-120

INOX
304



- Stainless steel Exterior / Interior
- Sliding doors
- Stainless steel basins
- Height adjustable inox feet
- Strong manufacture
- Without back
- Inox draining top

WITH 1 BASIN 50x50x30 or 40x40x25 cm.

MODEL	LK1-70	LK1-120	LK1-140
External dimensions (WxDxH) cm.	70 x 70 x 85	120 x 70 x 85	140 x 70 x 85
Basin (Pcs)	1	1	1
Net Weight (kg)	28	47	52
Volume (m ³)	0,41	0,71	0,83
PRICE	645 €	670 €	735 €

WITH 1 BASIN 34x37x15 cm.

MODEL	LKE1-60	LKE1-100	LKE1-140
External dimensions (WxDxH) cm.	60 x 60 x 85	100 x 60 x 85	140 x 60 x 85
Basin (Pcs)	1	1	1
Net Weight (kg)	18	29	38
Volume (m ³)	0,3	0,51	1,71
PRICE	546 €	610 €	676 €

SINK UNIT

WITH 1 BASIN 50x50x30 or 40x40x25 or 34x37x15 cm.

INOX
304

LA1-120



- Stainless steel Exterior / Interior
- Stainless steel basins
- Height adjustable feet
- Strong manufacture
- Strong shelf
- Inox draining top

WITH 1 BASIN 50x50x30 or 40x40x25 cm.

MODEL	LA1-70	LA1-120	LA1-140
External dimensions (WxDxH) cm.	70 x 70 x 85	120 x 70 x 85	140 x 70 x 85
Basin (Pcs)	1	1	1
Net Weight (kg)	24	37	43
Volume (m ³)	0,41	0,71	0,83
PRICE	425 €	490 €	510 €

WITH 1 BASIN 34x37x15 cm.

MODEL	LAE1-60	LAE1-100	LAE1-140
External dimensions (WxDxH) cm.	60 x 60 x 85	100 x 60 x 85	140 x 60 x 85
Basin (Pcs)	1	1	1
Net Weight (kg)	15	26	36
Volume (m ³)	0,83	1,13	1,42
PRICE	414 €	465 €	485 €

SINK ON CUPBOARD

WITH 2 BASINS 50x50x30 or 40x40x25 or 34x37x15 cm.

LK2-140

INOX
304



- Stainless steel Exterior / Interior
- Sliding doors
- Stainless steel basins
- Height adjustable inox feet
- Strong manufacture
- Without back
- Inox draining top

WITH 2 BASINS 50x50x30 or 40x40x25 cm.

MODEL	LK2-140	LK2-180	LK2-240
External dimensions (WxDxH) cm.	140 x 70 x 85	180 x 70 x 85	240 x 70 x 85
Basin (Pcs)	2	2	2
Net Weight (kg)	56	67	85
Volume (m ³)	0,71	0,81	1,42
PRICE	820 €	889 €	1.000 €

WITH 2 BASINS 34x37x15 cm.

MODEL	LKE2-100	LKE2-120	LKE2-140	LKE2-160
External dimensions (WxDxH) cm.	100 x 60 x 85	120 x 60 x 85	140 x 60 x 85	160 x 60 x 85
Basin (Pcs)	2	2	2	2
Net Weight (kg)	32	36	43	53
Volume (m ³)	0,51	0,61	0,71	0,81
PRICE	698 €	764 €	790 €	872 €

SINK UNIT

WITH 2 BASINS 50x50x30 or 40x40x25 or 34x37x15 cm.

INOX
304

LA2-140



- Stainless steel Exterior / Interior
- Stainless steel basins
- Height adjustable feet
- Strong manufacture
- Strong shelf
- Inox draining top

WITH 2 BASINS 50x50x30 or 40x40x25 cm.

MODEL	LA2-140	LA2-180	LA2-240
External dimensions (WxDxH) cm.	140 x 70 x 85	180 x 70 x 85	240 x 70 x 85
Basin (Pcs)	2	2	2
Net Weight (kg)	45	56	70
Volume (m ³)	0,83	1,13	1,42
PRICE	620 €	705 €	795 €

WITH 2 BASINS 34x37x15 cm.

MODEL	LAE2-100	LAE2-120	LAE2-140	LAE2-160
External dimensions (WxDxH) cm.	100 x 60 x 85	120 x 60 x 85	140 x 60 x 85	160 x 60 x 85
Basin (Pcs)	2	2	2	2
Net Weight (kg)	30	34	41	51
Volume (m ³)	0,51	0,61	0,71	0,81
PRICE	545 €	565 €	585 €	610 €

SINK ON CUPBOARD

WITH 3 BASINS 50x50x30 or 40x40x25 cm.

LK3-180

INOX
304



- Stainless steel Exterior / Interior
- Sliding doors
- Stainless steel basins
- Height adjustable inox feet
- Strong manufacture
- Without back
- Inox draining top

MODEL	LK3-180	LK3-240
External dimensions (WxDxH) cm.	180 x 70 x 85	240 x 70 x 85
Basin (Pcs)	3	3
Net Weight (kg)	70	89
Volume (m ³)	1,13	1,42
PRICE	1.050 €	1.150 €

SINK UNIT

WITH 3 BASINS 50x50x30 or 40x40x25 cm.

INOX
304

LA3-180



- Stainless steel Exterior / Interior
- Stainless steel basins
- Height adjustable feet
- Strong manufacture
- Strong shelf
- Inox draining top

MODEL	LA3-180	LA3-240
External dimensions (WxDxH) cm.	180 x 70 x 85	240 x 70 x 85
Basin (Pcs)	3	3
Net Weight (kg)	58	69
Volume (m ³)	1,13	1,42
PRICE	845 €	915 €

SINK ON CUPBOARD

WITH 1 BASIN 95x51x35 cm.

LK96-120

INOX
304



- Stainless steel Exterior / Interior
- Sliding doors
- Stainless steel basins
- Height adjustable inox feet
- Strong manufacture
- Without back
- Inox draining top

MODEL	LK96-120	LK96-160	LK96-180
External dimensions (WxDxH) cm.	120 x 70 x 85	160 x 70 x 85	180 x 70 x 85
Basin (Pcs)	1	1	1
Net Weight (kg)	47	53	67
Volume (m ³)	0,71	0,951	1,07
PRICE	740 €	830 €	896 €

SINK UNIT

WITH 1 BASIN 96x51x35 cm.

INOX
304

LA96-120



- Stainless steel Exterior / Interior
- Stainless steel basins
- Height adjustable feet
- Strong manufacture
- Strong shelf
- Inox draining top

MODEL	LA96-120	LA96-160	LA96-180
External dimensions (WxDxH) cm.	120 x 70 x 85	160 x 70 x 85	180 x 70 x 85
Basin (Pcs)	1	1	1
Net Weight (kg)	37	51	56
Volume (m ³)	0,71	0,95	1,07
PRICE	560 €	640 €	710 €

SINK ON CUPBOARD

WITH 1 BASIN 126x51x35 cm.

LK126-150

INOX
304



- Stainless steel Exterior / Interior
- Sliding doors
- Stainless steel basins
- Height adjustable inox feet
- Strong manufacture
- Without back
- Inox draining top

MODEL	LK126-150	LK126-180
External dimensions (WxDxH) cm.	150 x 70 x 85	180 x 70 x 85
Basin (Pcs)	1	1
Net Weight (kg)	60	67
Volume (m ³)	0,89	1,07
PRICE	960 €	1.020 €

SINK UNIT

WITH 1 BASIN 126x51x35 cm.

INOX
304

LA126-150



- Stainless steel Exterior / Interior
- Stainless steel basins
- Height adjustable feet
- Strong manufacture
- Strong shelf
- Inox draining top

MODEL	LA126-150	LA126-180
External dimensions (WxDxH) cm.	150 x 70 x 85	180 x 70 x 85
Basin (Pcs)	1	1
Net Weight (kg)	50	56
Volume (m ³)	0,89	1,07
PRICE	760 €	820 €

CUSTOM MADE CONSTRUCTIONS



CUSTOM MADE CONSTRUCTIONS

Adjust the products to the needs of the space and the needs of each business!!!

Our company, using the experience and the technical knowledge of many years, commit to carry through even with the hardest works. By developing a department of experts, in the field of the tailor made constructions, we offer special constructions with the well-known BAMBAS frost quality in unbeatable prices.

For any request or order of custom made products, we need the following :


1. A linear drawing of the product with the dimensions.
2. Contact by phone for details clarification.

Finally, only by scanning the following QR code with your mobile phone, you can visit our database of tailor made constructions, that we have already produced and choose the one that is suitable for your needs. We update frequently this file with new designs.




STAINLESS STEEL GASTRONORM CONTAINERS

INOX
304




GN 1/1

MODEL	GN 1/1 x 150	GN 1/1 x 100	GN 1/1 x 65	GN 1/1 x 25
PRICE	42 €	28 €	22 €	16 €




GN 1/2

MODEL	GN 1/2 x 150	GN 1/2 x 100	GN 1/2 x 65
PRICE	24 €	14 €	12 €




GN 1/3

MODEL	GN 1/3 x 100	GN 1/3 x 65
PRICE	14 €	12 €



GN 1/4

MODEL	GN 1/4 x 65
PRICE	8,40 €



GN 1/6

MODEL	GN 1/6 x 65
PRICE	8 €

INOX
304




MODEL	B 34
PRICE	50 €



MODEL	B 40
PRICE	76 €



MODEL	B 50
PRICE	84 €



MODEL	B 96
PRICE	320 €



MODEL	B 126
PRICE	394 €



MODEL	B 26
PRICE	56 €




MODEL	B 30
PRICE	56 €

CONSUMABLES



DIXELL FREEZER CONTROLLER

PRICE	88 €
-------	------



DIXELL CONTROLLER REFRIGERATOR

PRICE	44 €
-------	------



CAREL CONTROLLER

	REFRIGERATOR	FREEZER
TIMH	44 €	66 €



LED LIGHTING

PRICE	16 €
-------	------



FAN MOTOR 10W

PRICE	20 €
-------	------



HEATING ELEMENT

PRICE	24 €
-------	------



COOLING SYSTEM FAN

MODEL	BIG 103450	MEDIUM 103401
External dimensions (W) cm.	36,5	35,5
PRICE	36 €	36 €



DOOR GASKET

Dimensions cm.	49 x 64	42,5 x 64	141 x 62	164 x 63
PRICE	8,4 €	8 €	13 €	14 €



INOX LEGS

PRICE

6,60 €



WHEELS

WITH BRAKE

WITHOUT BRAKE

PRICE

13 €

10 €



ELBOW FOR HINGE (SQUARE)

PRICE

4,40 €



LOW BRACKET

PRICE

4,20 €



AUTOMATIC RETURN HINGE

PRICE

10 €



SUPPORT PAIRS FOR GN / SHELF

FOR CABINET

FOR COUNTER

PRICE

20 €

12 €



EVAPORATOR WITH ANTI-CORROSIVE PROTECTION

PRICE

160 €



VALVE FOR HOT / COLD WATER

PRICE

90 €





BAMBAS FROST FACILITIES

BAMBAS *frost*

3rd km Kozani - Thessaloniki RD
Industrial Area Kasla
Kozani 50100, Greece

Tel: (+30) 24610 29059, 38898

Fax: (+30) 24610 29884

✉ sales@bambasfrost.gr

www.bambasfrost.com



Follow us on Facebook

 **Bambas Frost**

Subscribe to our You Tube channel

 **Bambas Frost**

